

AWARD/CONTRACT		1. This Contract Is A Rated Order Under DPAS (15 CFR 700)		Rating DOA4		Page 1 Of 26	
2. Contract (Proc. Inst. Ident) No. W56HZV-04-C-T013		3. Effective Date 2004FEB04		4. Requisition/Purchase Request/Project No. SEE SCHEDULE			
5. Issued By TACOM WARREN BLDG 231 AMSTA-AQ-ADBx TIMOTHY SMITH (586)574-5316 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL e-mail address: SMITHTI@TACOM.ARMY.MIL		Code W56HZV	6. Administered By (If Other Than Item 5) DCMA SAN FRANCISCO P.O. BOX 232 700 EAST ROTH ROAD, BLDG 330 FRENCH CAMP CA 95231-0232 SCD C PAS NONE ADP PT HQ0339			Code S0507A	
7. Name And Address Of Contractor (No. Street, City, County, State, And Zip Code) MVP HYDRATECH INC 1331 S WEST AVE FRESNO, MD. 93706-2530 TYPE BUSINESS: Other Small Business Performing in U.S.				8. Delivery <input type="checkbox"/> FOB Origin <input checked="" type="checkbox"/> Other (See Below) SEE SCHEDULE			
				9. Discount For Prompt Payment			
				10. Submit Invoices (4 Copies Unless Otherwise Specified)			Item 12
Code ONXA2		Facility Code		To The Address Shown In:			
11. Ship To/Mark For SEE SCHEDULE		Code	12. Payment Will Be Made By DFAS - COLUMBUS CENTER DFAS-CO/WEST ENTITLEMENT OPERATIONS P.O. BOX 182381 COLUMBUS, OH 43218-2381			Code HQ0339	
13. Authority For Using Other Than Full And Open Competition: <input checked="" type="checkbox"/> 10 U.S.C. 2304(c)(2) <input type="checkbox"/> 41 U.S.C. 253(c)()		14. Accounting And Appropriation Data ACRN: AA 97 X4930AC9D 6D 26KB S20113 W56HZV					
15A. Item No. SEE SCHEDULE	15B. Schedule Of Supplies/Services CONTRACT TYPE: Firm-Fixed-Price		15C. Quantity		15D. Unit	15E. Unit Price	15F. Amount
					KIND OF CONTRACT: Supply Contracts and Priced Orders		
15G. Total Amount Of Contract						\$127,596.00	
16. Table Of Contents							
(X)	Section	Description	Page(s)	(X)	Section	Description	Page(s)
Part I - The Schedule				Part II - Contract Clauses			
X	A	Solicitation/Contract Form	1	X	I	Contract Clauses	20
X	B	Supplies or Services and Prices/Costs	4	Part III - List Of Documents, Exhibits, And Other Attachments			
X	C	Description/Specs./Work Statement	6		J	List of Attachments	
X	D	Packaging and Marking	7	Part IV - Representations And Instructions			
X	E	Inspection and Acceptance	9		K	Representations, Certifications, and Other Statements of Offerors	
X	F	Deliveries or Performance	14		L	Instrs., Conds., and Notices to Offerors	
X	G	Contract Administration Data	17		M	Evaluation Factors for Award	
X	H	Special Contract Requirements	18				
Contracting Officer Will Complete Item 17 Or 18 As Applicable							
17. <input checked="" type="checkbox"/> Contractor's Negotiated Agreement (Contractor is required to sign this document and return 2 signed copies to issuing office.) Contractor agrees to furnish and deliver all items or perform all the services set forth or otherwise identified above and on any continuation sheets for the consideration stated herein. The rights and obligations of the parties to this contract shall be subject to and governed by the following documents: (a) this award/contract, (b) the solicitation, if any, and (c) such provisions, representations, certifications, and specifications, as are attached or incorporated by reference herein. (Attachments are listed herein.)				18. <input type="checkbox"/> Award (Contractor is not required to sign this document.) Your offer on Solicitation Number _____ including the additions or changes made by you which additions or changes are set forth in full above, is hereby accepted as to the items listed above and on any continuation sheets. This award consummates the contract which consists of the following documents: (a) the Government's solicitation and your offer, and (b) this award/contract. No further contractual document is necessary.			
19A. Name And Title Of Signer (Type Or Print)				20A. Name Of Contracting Officer JAMES E. NELSON NELSONJ@TACOM.ARMY.MIL (586)574-5258			
19B. Name of Contractor By _____ (Signature of person authorized to sign)		19c. Date Signed		20B. United States Of America By _____ /SIGNED/ (Signature of Contracting Officer)		20C. Date Signed 2004FEB04	

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 2 of 26
Name of Offeror or Contractor: MVP HYDRATECH INC		

SECTION A - SUPPLEMENTAL INFORMATION

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
A-1	52.204-4850 (TACOM)	ACCEPTANCE APPENDIX	FEB/2002
(a) Contract Number W56HZV-04-C-T013 is awarded to MVP Hydratech Inc. The Government accepts your proposal dated December 11, 2003 in response to Solicitation Number: W56HZV-04-R-0341, submitted by Dave Ogden, Vice President of your company.			
(b) The contractor shall submit all required data for the listed clauses prior to signing this document for the purpose of entering into a contractual agreement with U.S. Army Tacom:			
Section E, 52.246-4025, HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT -- TACOM QUALITY SYSTEM REQUIREMENT: -7-			
Section E, 52.246-4028, INSPECTION POINT: -8-			
Shipping Characteristics: Section I, 52.247-4458, -9-			
Others: Section K, 52.215-4005 (TACOM) Minimum Acceptance Period. -10-			
(c) Any attachments not included with this document will be provided by TACOM-Warren directly to the administrative contracting officer (ACO) via e-mail. A hard copy of the award will be sent to those ACOs not EDW (Electronic Document Workflow) capable. Technical data packages will be mailed by TACOM-Warren to the ACO on CD-ROM. Within one week of this award, any office not able to obtain these attachments from the Buyer, still requiring a copy, can request it by sending an e-mail message to the Buyer listed on the front page of this contractual document.			
Attention contractor: Please review this entire contractual document thoroughly, if you have thoroughly read and agree with all terms and conditions herein, complete the signature block area in item 16. on page 1 of 25.			
(d) The following Amendment(s) to the solicitation are incorporated into this contract: N/A			
[End of Clause]			
A-2	TACOM	DISCLOSURE OF UNIT PRICE INFORMATION	DEC/2002
This constitutes notification pursuant to Executive Order 12600, Pre-Disclosure Notification Procedures for Confidential Commercial Information (June 23, 1987), of our intention to release unit prices in response to any request under the Freedom of Information Act, 5 USC 552. Unit price is defined as the contract price per unit or item purchased. We consider any objection to be waived unless the contracting officer is notified of your objection to such posting prior to submission of initial proposals.			
[End of Notice]			
A-3	52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	JUL/2003
(a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (http://contracting.tacom.army.mil/opportunity.htm) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at http://contracting.tacom.army.mil/userguide.htm and http://contracting.tacom.army.mil/ebidnotice.htm for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.			
(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.			
(c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.			

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 3 of 26
---------------------------	--	----------------------------

Name of Offeror or Contractor: MVP HYDRATECH INC

(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil

(f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <http://www.ecrc.ctc.com>

[End of Clause]

A-4	52.204-4232	PUBLIC ACTIVITY INVOLVEMENT	DEC/2002
	(TACOM)		

Subcontract opportunities under this solicitation and any resulting contracts are open to competition between Department of Defense activities and private firms. In addition, Army Industrial Facilities are available to sell manufactured articles or to perform work at such Facilities on behalf of Offerors, in certain circumstances and as permitted by law. Rock Island Arsenal, Watervliet Arsenal, Anniston Army Depot, Sierra Army Depot, and Red River Army Depot have expressed interest in securing subcontracting opportunities under this RFP. For information related to the capabilities of these facilities, and Points of Contact, see www.gsie.army.mil

[End of Notice]

A-5	52.214-4003	ALL OR NONE	MAR/1998
	(TACOM)		

Offers in response to this solicitation must be submitted for the total quantity of the items identified in the solicitation.

(1) ONLY ONE AWARD WILL BE MADE AS A RESULT OF THIS SOLICITATION.

(2) OFFERS SUBMITTED FOR LESS THAN THE TOTAL QUANTITIES OF ALL THE ITEMS IN THIS SOLICITATION WILL BE DEEMED NONRESPONSIVE.

[End of Clause]

A-6	52.215-4854	PAPERLESS ELECTRONIC RESPONSES REQUIRED IN RESPONSE TO THIS	JUL/2002
	(TACOM)	SOLICITATION/REQUEST	

TACOM WILL NOT ACCEPT PAPER OFFERS IN RESPONSE TO THIS SOLICITATION/REQUEST. YOU ARE REQUIRED TO SUBMIT YOUR OFFER, BID, OR QUOTE VIA PAPERLESS ELECTRONIC MEDIA. SEE THE PROVISION ENTITLED "ELECTRONIC OFFERS (OR 'QUOTES' OR 'BIDS') REQUIRED IN RESPONSE TO THIS SOLICITATION (OR 'REQUEST FOR QUOTATIONS')" FOR MORE SPECIFIC INFORMATION.

[End of Clause]

The "First Article Test" (FAT) has been waived for MVP Hydratech for this procurement only!

*** END OF NARRATIVE A 001 ***

Name of Offeror or Contractor: MVP HYDRATECH INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 3040-01-182-1306 FSCM: 19207 PART NR: 12325843 SECURITY CLASS: Unclassified				
0001AA	<u>PRODUCTION QUANTITY</u> NOUN: CYLINDER ASSEMBLY,A PRON: EH44E025EH PRON AMD: 01 ACRN: AA AMS CD: 060011 <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: MILSTD2073 / MARK IAW MILSTD129N LEVEL PRESERVATION: Military LEVEL PACKING: B <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin <u>Deliveries or Performance</u> DOC SUPPL <u>REL_CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG_CD</u> <u>MARK_FOR</u> <u>TP_CD</u> 001 W56HZV3342U476 W62G2T J 1 <u>DEL_REL_CD</u> <u>QUANTITY</u> <u>DEL_DATE</u> 001 6 06-APR-2004 FOB POINT: Destination SHIP TO: <u>FREIGHT ADDRESS</u> (W62G2T) XU DEF DIST DEPOT SAN JOAQUIN 25600 S CHRISMAN ROAD REC WHSE 10 PH 209 839 4307 TRACY CA 95376-5000 DOC SUPPL <u>REL_CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG_CD</u> <u>MARK_FOR</u> <u>TP_CD</u> 002 W56HZV3342U477 W25G1U J 1 <u>PROJ_CD</u> <u>BRK_BLK_PT</u> 9GF <u>DEL_REL_CD</u> <u>QUANTITY</u> <u>DEL_DATE</u> 001 190 06-APR-2004 FOB POINT: Destination SHIP TO: <u>PARCEL POST ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001	196	EA	\$_____651.00000	\$_____127,596.00

Name of Offeror or Contractor: MVP HYDRATECH INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 6 of 26
Name of Offeror or Contractor: MVP HYDRATECH INC		

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
C-1	52.211-4053 (TACOM)	REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING SUBSTANCES (CIODS)	MAR/2000

(a) The purchase description or Technical Data Package (TDP) for this contract incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this contract, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: MIL-STD-889 / TCA.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/ciods.html>

[End of Clause]

C-2	52.246-4053 (TACOM)	USE OF MIL-STD 1916	JAN/2001
-----	------------------------	---------------------	----------

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD-1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916. This handbook is not contractually binding.

[End of Clause]

C-3	52.211-4008 (TACOM)	DRAWING LIMITATIONS	NOV/2002
-----	------------------------	---------------------	----------

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

- (1) depict the completed (item(s), and
- (2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 7 of 26
	PIIN/SIIN W56HZV-04-C-T013	MOD/AMD	
Name of Offeror or Contractor: MVP HYDRATECH INC			

SECTION D - PACKAGING AND MARKING

Regulatory Cite	Title	Date
D-1 52.211-4515 (TACOM)	PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)	SEP/2003

(a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.

(1) LEVEL OF PRESERVATION: Military

(2) LEVEL OF PACKING: B

QUANTITY PER UNIT PACKAGE: 001

- (4) SPECIAL PACKAGING INSTRUCTION NUMBER. AK11821306
- a. REVISION As Listed On TDPL.
 - b. DATE OF REVISION As Listed On TDPL.

(b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage

(c) Marking:

(1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). . Packing lists are required in accordance with the Standard, see paragraph 5.3.

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

(4) Military Shipping Label: : Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at <<http://www.easysoftcorp.com/products/Software/MSL.html>>. Insure that the ship to and mark for in-the-clear delivery address is complete including:consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

(d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 8 of 26
Name of Offeror or Contractor: MVP HYDRATECH INC		

(e) Hazardous Materials(As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:
International Air Transport Association (IATA) Dangerous Goods Regulations
International Maritime Dangerous Goods Code (IMDG)
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

(f) SUPPLEMENTAL INSTRUCTIONS: None.

[End of Clause]

D-2	52.247-4016 (TACOM)	HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS	JUL/2002
-----	------------------------	--	----------

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEBILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 9 of 26
Name of Offeror or Contractor: MVP HYDRATECH INC		

SECTION E - INSPECTION AND ACCEPTANCE

	Regulatory Cite	Title	Date
E-1	52.246-2	INSPECTION OF SUPPLIES--FIXED-PRICE	AUG/1996
E-2	52.246-16	RESPONSIBILITY FOR SUPPLIES	APR/1984
E-3	52.211-4016 (TACOM)	CARC PAINT-PRETREATMENT REQUIREMENTS FOR FERROUS AND GALVANIZED SURFACES	SEP/2002

(a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1, microcrystalline, zinc phosphate system per TT-C-490. Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, 4.2.7, and 4.2.8 of TT-C-490. Corrosion resistance tests will be conducted on a monthly basis (two test coupons) after the process has been found to be in statistical control. Process control tests for alternative systems must ensure that the process remains in control and must be documented and approved by TACOM. Testing must be performed on the same substrate and the same thickness of primer minus topcoat used in production. Unless otherwise specified, MIL-P-53022 and -53030 primers shall be salt spray tested for 336 hours. All electrocoat primers shall be tested for 1000 hours. Test coupons shall be scrapped with a one inch (approximate) metal blade such as a putty knife between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. Any inorganic crystalline pretreatment is limited to a maximum build equivalent of 500 mg. per square foot to minimize chipping of the CARC system. All TT-C-490, zinc phosphate pretreatment systems must be documented and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490 shall be submitted to the procuring activity no less than 45 days prior to use. Qualification will consist of verification that the process with its controls can meet the performance requirements in the specification. The performance of alternate systems must be demonstrated and approved by the procuring activity. If the TT-C-490 Type 1 system has not been previously approved by TACOM, it must be documented and submitted for approval as specified in the specification. Zinc phosphate systems for galvanized substrates require separate qualification. A list of TACOM approved facilities is available at <http://contracting.tacom.army.mil/engr/eng.htm>. These facilities are capable of meeting the performance requirements in the specification.

A list of previously qualified zinc phosphate application facilities is available from TACOM, Materials Engineering Team, (810) 574-5083. Requalification of the process will be required if the process is changed outside the limits defined in the TACOM letter of system acceptance provided to the application facility.

(b) Qualification of pretreatment systems for galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P, Method B, rather than salt spray. Test coupons with primer only shall be cured for seven days, and scribed thru the primer. After 40 cycle test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate) with a one inch (approximate) metal blade, such as a putty knife, both parallel and perpendicular to the scribe. There shall be no more than 3 mm. of rust creep (zinc corrosion products), blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with non greater than 1 mm. This test shall be performed at two month intervals (two test coupons) to ensure that the process is in control. An alternative test for verifying process control is GM 9511P for 10 cycles.

(c) Performance tests for process control are highly dependent on the type, thickness, and VOC level of the organic coating (primer) film and its adhesion to the substrate. Any change to the solvents used in the primer or changing the brand of primer will require retesting of the system. The test coupons must duplicate the production painting process as closely as possible. Primer test coupons shall represent both the minimum and maximum nominal dry film thickness. Due to the wide variation in zinc thickness with the hot dip galvanizing process, the dry film thickness of the primer will be verified with a Tooke gage or equivalent for the purpose of production and process control.

(d) The use of vinyl wash primer (DOD-P-15328) is prohibited due to its hexavalent chromium content and high VOC level.

[End of Clause]

E-4	52.211-4030 (TACOM)	BASIC APPLICATION AND TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS (CARC) ON METALLIC SURFACES	JAN/2003
-----	------------------------	---	----------

(a) Scope: The requirements contained herein apply whenever any or all of the following specifications are cited in the contract: MIL-C-46168, MIL-C-53039, MIL-PRF-22750, or MIL-DTL-64159.

(b) CARC Primers: The preferred CARC primer for all applications is cathodic, epoxy electrocoat per MIL-C-53084. This primer can be directly substituted whenever MIL-P-53022 or MIL-P-53030 is specified on a drawing or specification. The dry film thickness table below contains mandatory minimum and maximum dry film thickness requirements. Failure of production painted hardware to comply with these ranges will dramatically impact the corrosion resistance and/or chip resistance of the CARC coating system. If the contractor does not possess the personnel or equipment to meet these mandatory thickness requirements, then cathodic epoxy electrocoat must be used. Any part that has rust, heat treat or mill scale must be abrasive blasted prior to the application of any coating. Select powder coat primers which have 0.0 VOCs and 0.0 HAPS can also be used as a direct replacement for MIL-P-53022 and MIL-P-53030 primers. These

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center">PIIN/SIIN W56HZV-04-C-T013 MOD/AMD</p>	<p align="center">Page 10 of 26</p>
---	--	--

Name of Offeror or Contractor: MVP HYDRATECH INC

powder coat primers, however, can only be applied by TACOM-approved applicators. The qualification and application of these primers is controlled by "Performance Standard for Combat Grade Powder Coat Paint - U.S. Army - TACOM" and is available at <http://contracting.tacom.army.mil/engr/eng.htm>

(c) CARC Application: The dip application of any coating listed in the table below (with the exception of epoxy electrocoat which is specifically designed for dip application) is prohibited.

(d) End-Item Inspection. After the complete paint finish has been applied and cured* (See note below), the Contractor shall test and inspect two units per lot for (i)workmanship, (ii) total paint film thickness and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in Table I herein. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld.
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

The precise location for each scribe tape shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.

Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in Table I herein.

*NOTE: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take 24 days. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190 to 210 degrees F. for three hours (this is time at temperature and is therefore material thickness dependent), followed by 7 days at 65 degrees F. minimum.

(e) Test Methods:

(1) Film Thickness. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.

(2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:

(a) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.

(b) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.

(c) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.

(d) Wait ten seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

NOTE: The above two tests are not a substitute for corrosion test such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(f) Acceptance Criteria:

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center">PIIN/SIIN W56HZV-04-C-T013 MOD/AMD</p>	<p align="right">Page 11 of 26</p>
---	--	---

Name of Offeror or Contractor: MVP HYDRATECH INC

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

DRY FILM THICKNESS TABLE

SPECIFICATION	DRY FILM THICKNESS (Mils) (MANDATORY RANGE)
DOD-P-15328*	0.3 - 0.5
MIL-PRF-23377	1.0 - 1.5
MIL-P-53022, Type I	1.0 - 2.5
MIL-P-53022, Type II	1.5 - 2.5
MIL-P-53030	1.5 - 2.5
MIL-P-53084	0.8 - 1.5
MIL-C-22750	1.3 - 2.5
MIL-C-46168	1.8 MINIMUM
MIL-C-53039	1.8 MINIMUM
MIL-DTL-64159	1.0 MINIMUM

* May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

NOTICE: The scribe tape test is designed to detect any major deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (a) Inadequate cleaning of the substrate.
- (b) Contamination of the surface between coatings.
- (c) Excessive paint film thickness in a single coating application.
- (d) Application of a coating over a previous coating which has not been adequately cured.

[End of clause]

E-5 52.246-4024 SUBSTITUTING COMMERCIAL TEST RESULTS FOR REQUIRED CONTRACT TESTS APR/2000
(TACOM)

(a) GENERAL. At your request, we may delete all or some of the Government or contractor conducted tests required by this contract or order, under the following conditions:

(1) You have (or your supplier has) previously supplied the identical item to us and we've accepted it, or:

(2) You have commercial test reports, performance data, analytical data, or vendor reports demonstrating that the item you will be furnishing us meets the contract requirements.

(b) HOW TO SUBMIT A TEST-DELETION REQUEST.

(1) BEFORE CONTRACT AWARD - Submit your request along with your offer in response to our solicitation. Make sure that your offer includes an alternate price (that reflects how your offered price would change if we approve your request to delete the specified tests). If we approve your request to delete test requirements or substitute commercial testing procedures, we will evaluate your offer at the alternate price submitted with your request. If you don't submit an alternate price with your request, we'll evaluate your offer at the price you indicated in the Schedule. No adjustments will be made to the price after contract award.

(2) AFTER CONTRACT AWARD - Send your request to the buyer identified on the face page of the contract within 45 days after contract award.

(3) ALL REQUESTS MUST -

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 12 of 26
--------------------	---	---------------

Name of Offeror or Contractor: MVP HYDRATECH INC

- identify the test(s) you want deleted;
- state the basis for your request;
- include a list of configuration changes made;
- demonstrate that you meet the conditions in paragraph (a)(1) or (a)(2) of this clause; and
- include an alternate price per paragraph (b)(1) above, if you make your request prior to award; or
- include proposed amount of equitable adjustment, if you make your request after award.

(c) SUPPORTING DATA. If we agree to delete a test or tests, you must keep the data you used to support your request for four years from the day we approved your request. You must provide us with such data if we ask for a copy.

(d) CONTRACT ADJUSTMENT. If we agree to delete a test or tests after contract award, we may negotiate an equitable adjustment in the contract price. Any such negotiation will be conducted using the rules given in the CHANGES--FIXED PRICE clause, FAR 52.243-1.

[End of Clause]

E-6	52.246-4025	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT--TACOM QUALITY SYSTEM	OCT/1997
	(TACOM)	REQUIREMENT	

(a) As the contractor, you shall implement and maintain a quality system that ensures the functional and physical conformity of all products or services you furnish under this contract. Your quality system shall achieve (i) defect prevention and (ii) process control, providing adequate quality controls throughout all areas of contract performance.

(b) Your quality system may be based on (i) international quality standards such as the ISO 9000 series, or (ii) military, or (iii) commercial, or (iv) national quality standards. You represent that your performance under this contract will be in accordance with your quality system, which is in compliance with:

- [] ISO 9001
- [] ISO 9002
- [] QS 9000
- [] ANSI/ASQ Q9001
- [] ANSI/ASQ Q9002
- [] Other, specifically _____

(Note: if you check the "Other" block because you intend to use an in-house quality system, or one based on a commercial, national, or international system not identified above, then in addition to identifying your proposed system in the space above, to the right of the word "Other," you must attach a description of this system to your offer in response to the solicitation, so that we can assess its suitability. If you receive a contract award, your proposed system will be required by the contract.)

(c) Certification of compliance or registration of the quality system you identify above, by an independent standards organization or auditor, does not need to be furnished to us under this contract. However, you may attach a copy of such certification with your offer in response to the solicitation, as proof of system compliance.

(d) At any point during contract performance, we have the right to review your quality system to assess its effectiveness in meeting contractual requirements.

[End of Clause]

E-7	52.246-4028	INSPECTION POINT: ORIGIN	FEB/1994
	(TACOM)		

We will inspect the supplies as described elsewhere in this solicitation/contract before acceptance. Fill-in the location, contractor's or subcontractor's plant, where origin inspection will occur.

CONTRACTOR'S PLANT:

(Name)

(Address)

(City)

(County)

(State)

(Zip)

SUBCONTRACTOR'S PLANT:

(Name)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 13 of 26
Name of Offeror or Contractor: MVP HYDRATECH INC		

(Address) (City) (County) (State) (Zip)

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 14 of 26
---------------------------	--	----------------------

Name of Offeror or Contractor: MVP HYDRATECH INC

SECTION F - DELIVERIES OR PERFORMANCE

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
F-1	52.242-15	STOP-WORK ORDER	AUG/1989
F-2	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
F-3	52.247-34	F.O.B. DESTINATION	NOV/1991
F-4	52.247-48	F.O.B. DESTINATION--EVIDENCE OF SHIPMENT (DEVIATION)	FEB/1999
F-5	52.242-4022 (TACOM)	DELIVERY SCHEDULE	MAY/2000

(a) DEFINITIONS:

(1) CLIN means Contract Line Item Number, and refers to the contract items listed in Section B of this document.

(2) DAYS means the number of days after the date of contract award when you must deliver the stated quantity (QTY) of supplies.

(3) DELIVERY is defined as follows:

FOB Destination - Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual contract. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the contract, to ensure that the item reaches its destination by the time reflected in the contract.

(b) The Government's proposed delivery schedule is:

<u>CLIN</u>	<u>DAYS</u>	<u>QUANTITY</u>
All	60	All

(c) If the successful offeror is granted a waiver of the First Article Test requirement, as contained in Section E, the proposed delivery schedule in the resulting contract shall be accelerated by -2- days, to reflect the removal of leadtime originally included in the delivery schedule to provide for manufacturing, testing, and approval of the first article.

(d) You can accelerate delivery: At No Additional Cost to The Government.

(e) Proposing an accelerated delivery schedule will not prejudice your offer. However, if you propose a delivery schedule longer than the schedule listed above, your offer may be determined unacceptable for award.

(f) CONTRACTOR'S PROPOSED SCHEDULE: This is an "Emergency Buy and The Contractor shall deliver All items herein 60 Days After Receipt Of Order (or sooner- see 3.(d)above). If there is a problem with this call the Contract Specialist, Tim Smith, 586-574-5316 or the Contracting Officer, Jim Nelson, 586-574-5258.

(1) I WILL START DELIVERIES _____ DAYS AFTER THE AWARD DATE; OR, IF APPLICABLE, _____ DAYS AFTER AWARD IF FIRST ARTICLE TEST IS WAIVED.

(2) I WILL DELIVER A QUANTITY OF _____ UNITS EVERY 30 DAYS, BUT I HAVE THE CAPABILITY TO DELIVER UP TO A MAXIMUM OF _____ UNITS EVERY 30 DAYS.

[End of Clause]

F-6	52.247-4009 (TACOM)	DELIVERY OF SUPPLIES FROM FOREIGN FIRMS TO U.S. PORT OF ENTRY	AUG/2003
-----	------------------------	---	----------

This clause applies only to foreign firms when shipments are required to destinations within the Continental United States (CONUS).

(a) The F.O.B. point for this acquisition is DESTINATION. You must arrange and pay for (i) transportation to the U.S. port of entry, (ii) port handling, (iii) customs clearance, and (iv) all transportation from the port of entry to the consignee(s) listed in this solicitation.

(b) Acceptance will be at destination if the awardee is an OCONUS (Outside Continental United States) foreign firm.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 15 of 26
	PIIN/SIIN W56HZV-04-C-T013MOD/AMD	
Name of Offeror or Contractor: MVP HYDRATECH INC		

(c) Identification of shipment. The Contractor must insure that all shipments be clearly marked in accordance with MIL-STD-129 and other marking requirements specified in the Schedule. The Duty-Free Entry clauses in this contract contain instructions on the documentation required to accompany the shipment for duty-free entry.

(d) Notification of Shipment. The Contractor shall send electronic notification to the Procuring Contracting Officer (PCO) when shipment is made, which includes the following information:

(i) Mode of transportation, carrier, bill of lading number, customs broker (if any), and estimated time of arrival of materiel at OCONUS port authority

(ii) Mode of transportation, carrier, bill of lading number, and estimated dates for pick-up from CONUS port authority and delivery to final destination.

(e) You assume all responsibility for risk of loss or damage to the supplies until received at the destination. See the clause entitled RESPONSIBILITY FOR SUPPLIES (FAR 52.246-16).

[End of Clause]

F-7	52.247-4017 (TACOM)	DEPOT ADDRESS FOR THE APPLICABLE MODE OF SHIPMENTS: IN-THE-CLEAR ADDRESSES			JAN/2001
Rail/ Motor <u>SPLC*</u>	MILSTRIP Address <u>Code</u>	Rail <u>Ship To:</u>	Motor <u>Ship To:</u>	Parcel Post <u>Mail To:</u>	
206721/ 209405	W25G1U	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA 17070-5001	
875670/ 875675	W62G2T	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer Dist Depot San Joaquin P O Box 96001 Stockton, CA 95296-0130	
471995/ 471996	W31G1Z	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Anniston, AL 36201-5021	
209741/ 209770	W25G1R	Transportation Officer Letterkenny Army Depot, Culbertson, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA 17201-4150	
661136/ 661157	W45G19	Transportation Officer Red River Army Depot, Defense, TX	Transportation Officer Red River Army Depot, Texarkana, TX	Transportation Officer Red River Army Depot, Texarkana, TX 75507-5000	
764538/ 764535	W67G23	Transportation Officer Tooele Army Depot, Warner, UT	Transportation Officer Tooele Army Depot, Tooele, UT	Transportation Officer Tooele Army Depot, Tooele, UT 84074-5003	

***SPLC indicates Standard Point Locator Code.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 16 of 26
Name of Offeror or Contractor: MVP HYDRATECH INC		

NOTE: The following is applicable only when so specified in an individual order or delivery increment:

This requirement is a depot replenishment buy, a portion of which is or may be required to fill Direct Support System (DSS) requisitions. Shipment shall be made, as specified, to one or more of:

New Cumberland Army Depot
Red River Army Depot
Sharpe Army Depot

prior to shipments to any other depots as may be designated. When more than one depot is designated for DSS shipments, priority shipments will be made equally to each of the designated destinations.

[End of Clause]

Name of Offeror or Contractor: MVP HYDRATECH INC

SECTION G - CONTRACT ADMINISTRATION DATA

PRON/										JOB		ACCOUNTING		OBLIGATED	
LINE	AMS	CD/	OBLG							ORDER		STATION		AMOUNT	
<u>ITEM</u>	<u>MIPR</u>	<u>ACRN</u>	<u>STAT</u>	<u>ACCOUNTING CLASSIFICATION</u>						<u>NUMBER</u>		<u>STATION</u>		<u>AMOUNT</u>	
0001AA	EH44E025EH	AA	2	97	X4930AC9D	6D	26KB	S20113				W56HZV	\$	127,596.00	
	060011														
													TOTAL	\$	127,596.00
SERVICE										ACCOUNTING		OBLIGATED			
<u>NAME</u>	<u>TOTAL BY ACRN</u>		<u>ACCOUNTING CLASSIFICATION</u>							<u>STATION</u>		<u>AMOUNT</u>			
Army		AA	97	X4930AC9D	6D	26KB	S20113			W56HZV	\$	127,596.00			
													TOTAL	\$	127,596.00

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 18 of 26
--------------------	---	---------------

Name of Offeror or Contractor: MVP HYDRATECH INC

SECTION H - SPECIAL CONTRACT REQUIREMENTS

	Regulatory Cite	Title	Date
H-1	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
H-2	252.225-7002	QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS	APR/2003
H-3	252.225-7013	DUTY-FREE ENTRY	APR/2003
H-4	252.227-7036	DECLARATION OF TECHNICAL DATA CONFORMITY	JAN/1997
H-5	252.227-7037	VALIDATION OF RESTRICTIVE MARKINGS ON TECHNICAL DATA	SEP/1999
H-6	252.231-7000	SUPPLEMENTAL COST PRINCIPLES	DEC/1991
H-7	252.246-7000	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003
H-8	252.246-7001	WARRANTY OF DATA	DEC/1991
H-9	52.204-4005 (TACOM)	REQUIRED USE OF ELECTRONIC CONTRACTING	DEC/2002

(a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions and clauses appear "by reference," meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: <http://www.ccr.gov/>. (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: http://contracting.tacom.army.mil/awards_official.htm
Rock Island: <http://aais.ria.army.mil/AAIS/AWDINFO/index.htm>
Picatinny: <http://procnet.pica.army.mil/Contracts/Index.htm>
Red River Army Depot: <http://www.redriver.army.mil/contracting/Awards>
Anniston Army Depot: <http://www.anadprocnet.army.mil>

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/ec/ecip/index.htm>. If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

(e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Acceptable formats include:

(1) Microsoft* 97 Office Products (TACOM can currently read OFFICE 97* and lower.): Word, Excel, Powerpoint, or Access

(2) 100 OR 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, OR 650 MEGABYTE CD ROM

(3) E-MAIL (Maximum size of each e-mail message is be three and one-half (3.5) megabytes).

(4) Other electronic formats. Before submitting your data in any other electronic format, please e-mail the buyer identified on the face of the contract, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the required data submission date.

NOTE: The above formats may be submitted in compressed form using self-extracting files.

(f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 19 of 26
Name of Offeror or Contractor: MVP HYDRATECH INC		

H-10 52.246-4026 LOCAL ADDRESSES FOR DD FORM 250 MAR/2002
(TACOM)

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

(1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:

DD250@tacom.army.mil

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:

(586) 574-7552 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://webl.whs.osd.mil/icdhome/DD-0999.htm>

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 20 of 26
	PIIN/SIIN W56HZV-04-C-T013	MOD/AMD	
Name of Offeror or Contractor: MVP HYDRATECH INC			

SECTION I - CONTRACT CLAUSES

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address: <http://farsite.hill.af.mil/>

[End of Clause]

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
I-1	52.202-1	DEFINITIONS	DEC/2001
I-2	52.203-3	GRATUITIES	APR/1984
I-3	52.203-5	COVENANT AGAINST CONTINGENT FEES	APR/1984
I-4	52.203-6	RESTRICTIONS ON SUBCONTRACTOR SALES TO THE GOVERNMENT	JUL/1995
I-5	52.203-7	ANTI-KICKBACK PROCEDURES	JUL/1995
I-6	52.203-8	CANCELLATION, RESCISSION AND RECOVERY OF FUNDS FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-7	52.203-10	PRICE OR FEE ADJUSTMENT FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-8	52.203-12	LIMITATION ON PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS	JUN/2003
I-9	52.204-4	PRINTING/COPYING DOUBLE-SIDED ON RECYCLED PAPER	AUG/2000
I-10	52.209-6	PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DEBARMENT	JUL/1995
I-11	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
I-12	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990
I-13	52.215-8	ORDER OF PRECEDENCE--UNIFORM CONTRACT FORMAT	OCT/1997
I-14	52.215-11	PRICE REDUCTION FOR DEFECTIVE COST OR PRICING DATA--MODIFICATIONS	OCT/1997
I-15	52.215-13	SUBCONTRACTOR COST OR PRICING DATA -- MODIFICATIONS	OCT/1997
I-16	52.219-8	UTILIZATION OF SMALL BUSINESS CONCERNS	OCT/2000
I-17	52.219-14	LIMITATIONS ON SUBCONTRACTING	DEC/1996
I-18	52.222-1	NOTICE TO THE GOVERNMENT OF LABOR DISPUTES	FEB/1997
I-19	52.222-19	CHILD LABOR--COOPERATION WITH AUTHORITIES AND REMEDIES	SEP/2002
I-20	52.222-20	WALSH-HEALEY PUBLIC CONTRACTS ACT	DEC/1996
I-21	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
I-22	52.222-26	EQUAL OPPORTUNITY	APR/2002
I-23	52.222-35	AFFIRMATIVE ACTION FOR DISABLED VETERANS AND VETERANS OF THE VIETNAM ERA	DEC/2001
I-24	52.222-36	AFFIRMATIVE ACTION FOR WORKERS WITH DISABILITIES	JUN/1998
I-25	52.222-37	EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	DEC/2001
I-26	52.223-6	DRUG FREE WORKPLACE	MAY/2001
I-27	52.225-8	DUTY-FREE ENTRY	FEB/2000
I-28	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JUN/2003
I-29	52.227-1	AUTHORIZATION AND CONSENT	JUL/1995
I-30	52.227-2	NOTICE AND ASSISTANCE REGARDING PATENT AND COPYRIGHT INFRINGEMENT	AUG/1996
I-31	52.232-1	PAYMENTS	APR/1984
I-32	52.232-8	DISCOUNTS FOR PROMPT PAYMENT	FEB/2002
I-33	52.232-9	LIMITATION ON WITHHOLDING OF PAYMENTS	APR/1984
I-34	52.232-11	EXTRAS	APR/1984
I-35	52.232-17	INTEREST	JUN/1996
I-36	52.232-23	ASSIGNMENT OF CLAIMS	JAN/1986
I-37	52.232-25	PROMPT PAYMENT	FEB/2002
I-38	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
I-39	52.233-1	DISPUTES	JUL/2002
I-40	52.233-3	PROTEST AFTER AWARD	AUG/1996
I-41	52.242-12	REPORT OF SHIPMENT (REPSHIP)	JUN/2003
I-42	52.242-13	BANKRUPTCY	JUL/1995
I-43	52.243-1	CHANGES--FIXED-PRICE	AUG/1987
I-44	52.246-23	LIMITATION OF LIABILITY	FEB/1997
I-45	52.248-1	VALUE ENGINEERING	FEB/2000
I-46	52.249-2	TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE)	SEP/1996
I-47	52.249-8	DEFAULT (FIXED-PRICE SUPPLY AND SERVICE)	APR/1984
I-48	52.253-1	COMPUTER GENERATED FORMS	JAN/1991
I-49	252.204-7003	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
I-50	252.209-7000	ACQUISITION FROM SUBCONTRACTORS SUBJECT TO ON-SITE INSPECTION UNDER THE INTERMEDIATE-RANGE NUCLEAR FORCES (INF) TREATY	NOV/1995

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 21 of 26
	PIIN/SIIN	MOD/AMD	
Name of Offeror or Contractor: MVP HYDRATECH INC			

	Regulatory Cite	Title	Date
I-51	252.209-7004	SUBCONTRACTING WITH FIRMS THAT ARE OWNED OR CONTROLLED BY THE GOVERNMENT OF A TERRORIST COUNTRY per DoD interim rule, Federal Register 27 Mar 98	MAR/1998
I-52	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	FEB/2003
I-53	252.215-7000	PRICING ADJUSTMENTS	DEC/1991
I-54	252.225-7012	PREFERENCE FOR CERTAIN DOMESTIC COMMODITIES	FEB/2003
I-55	252.225-7014	PREFERENCE FOR DOMESTIC SPECIALTY METALS (ALT 1)	APR/2003
I-56	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS	APR/2003
I-57	252.225-7025	RESTRICTION ON ACQUISITION OF FORGINGS	APR/2003
I-58	252.225-7031	SECONDARY ARAB BOYCOTT OF ISRAEL	APR/2003
I-59	252.226-7001	UTILIZATION OF INDIAN ORGANIZATIONS AND INDIAN-OWNED ECONOMIC ENTERPRISES	SEP/2001
I-60	252.227-7013	RIGHTS IN TECHNICAL DATA --NONCOMMERCIAL ITEMS	NOV/1995
I-61	252.227-7016	RIGHTS IN BID OR PROPOSAL INFORMATION	JUN/1995
I-62	252.227-7017	IDENTIFICATION AND ASSERTION OF USE, RELEASE, OR DISCLOSURE RESTRICTIONS	JUN/1995
I-63	252.227-7030	TECHNICAL DATA--WITHHOLDING OF PAYMENT	MAR/2000
I-64	252.227-7036	DECLARATION OF TECHNICAL DATA CONFORMITY	JAN/1997
I-65	252.227-7037	VALIDATION OF RESTRICTIVE MARKINGS ON TECHNICAL DATA	SEP/1999
I-66	252.243-7001	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
I-67	252.243-7002	REQUESTS FOR EQUITABLE ADJUSTMENT	MAR/1998
I-68	252.244-7000	SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS (DoD CONTRACTS)	MAR/2000
I-69	52.209-1	QUALIFICATION REQUIREMENTS	FEB/1995

(a) Definition: Qualification requirement, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.

(b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

(Name) SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S)
(Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offeror's Name _____
Manufacturer's Name _____
Source's Name _____
Item Name _____
Service _____
Identification_____Test Number_____(to the extent known)

(d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.

(e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-04-C-T013 MOD/AMD</p>	<p style="text-align: center;">Page 22 of 26</p>
--	--	---

Name of Offeror or Contractor: MVP HYDRATECH INC

of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.

(f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

[End of Clause]

I-70 52.223-11 OZONE-DEPLETING SUBSTANCES MAY/2001

(a) Definition. Ozone-depleting substance, as used in this clause, means any substance the Environmental Protection Agency designates in 40 CFR part 82 as--

- (1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or
- (2) Class II, including but not limited to, hydrochlorofluorocarbons.

(b) The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j(b), (c), and (d) and 40 CFR Part 82, Subpart E, as follows:

WARNING: Contains (or manufactured with, if applicable) _____ * _____, a substance(s) which harm(s) public health and environment by destroying ozone in the upper atmosphere.

*The Contractor shall insert the name of the substance(s).

[End of Clause]

I-71 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES APR/1984

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the clause.

(b) The use in this solicitation or contract of any DoD FAR Supplement (DFARS) (48 CFR 2) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the name of the regulation.

[End of Clause]

I-72 252.204-7004 REQUIRED CENTRAL CONTRACTOR REGISTRATION NOV/2001

(a) Definitions. As used in this clause--

(1) Central Contractor Registration (CCR) database means the primary DoD repository for contractor information required for the conduct of business with DoD.

(2) Data Universal Numbering System (DUNS) number means the 9-digit number assigned by Dun and Bradstreet Information Services to identify unique business entities.

(3) Data Universal Numbering System +4 (DUNS+4) number means the DUNS number assigned by Dun and Bradstreet plus a 4-digit suffix that may be assigned by a parent (controlling) business concern. This 4-digit suffix may be assigned at the discretion of the parent business concern for such purposes as identifying subunits or affiliates of the parent business concern.

(4) Registered in the CCR database means that all mandatory information, including the DUNS number or the DUNS+4 number, if applicable, and the corresponding Commercial and Government Entity (CAGE) code, is in the CCR database; the DUNS number and the CAGE code have been validated; and all edits have been successfully completed.

(b)

(1) By submission of an offer, the offeror acknowledges the requirement that a prospective awardee must be registered in the CCR database prior to award, during performance, and through final payment of any contract resulting from this solicitation, except for awards to foreign vendors for work to be performed outside the United States.

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center">PIIN/SIIN W56HZV-04-C-T013 MOD/AMD</p>	<p align="right">Page 23 of 26</p>
---	--	---

Name of Offeror or Contractor: MVP HYDRATECH INC

(2) The offeror shall provide its DUNS or, if applicable, its DUNS+4 number with its offer, which will be used by the Contracting Officer to verify that the offeror is registered in the CCR database.

(3) Lack of registration in the CCR database will make an offeror ineligible for award.

(4) DoD has established a goal of registering an applicant in the CCR database within 48 hours after receipt of a complete and accurate application via the Internet. However, registration of an applicant submitting an application through a method other than the Internet may take up to 30 days. Therefore, offerors that are not registered should consider applying for registration immediately upon receipt of this solicitation.

(c) The Contractor is responsible for the accuracy and completeness of the data within the CCR, and for any liability resulting from the Government's reliance on inaccurate or incomplete data. To remain registered in the CCR database after the initial registration, the Contractor is required to confirm on an annual basis that its information in the CCR database is accurate and complete.

(d) Offerors and contractors may obtain information on registration and annual confirmation requirements by calling 1-888-227-2423, or via the Internet at <http://www.ccr.gov>.

[End of Clause]

I-73 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA MAY/2002

- (a) Definitions. As used in this clause--
- (1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.
 - (2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.
 - (3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.
 - (4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.
 - (5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.
 - (6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.
 - (i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.
 - (ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.
 - (7) U.S.-flag vessel means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.

- (b)
- (1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.
 - (2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-
 - (i) This contract is a construction contract; or
 - (ii) The supplies being transported are-
 - (A) Noncommercial items; or
 - (B) Commercial items that-

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 24 of 26
Name of Offeror or Contractor: MVP HYDRATECH INC		

(1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);

(2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or

(3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

(c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--

(1) U.S.-flag vessels are not available for timely shipment;

(2) The freight charges are inordinately excessive or unreasonable; or

(3) Freight charges are higher than charges to private persons for transportation of like goods.

(d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--

(1) Type, weight, and cube of cargo;

(2) Required shipping date;

(3) Special handling and discharge requirements;

(4) Loading and discharge points;

(5) Name of shipper and consignee;

(6) Prime contract number; and

(7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.

(e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information--

(1) Prime contract number;

(2) Name of vessel;

(3) Vessel flag of registry;

(4) Date of loading;

(5) Port of loading;

(6) Port of final discharge;

(7) Description of commodity;

(8) Gross weight in pounds and cubic feet if available;

(9) Total ocean freight in U.S. dollars; and

(10) Name of the steamship company.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 25 of 26
Name of Offeror or Contractor: MVP HYDRATECH INC		

(f) The Contractor shall provide with its final invoice under this contract a representation that to the best of its knowledge and belief--

- (1) No ocean transportation was used in the performance of this contract;
- (2) Ocean transportation was used and only U.S.-flag vessels were used for all ocean shipments under the contract;
- (3) Ocean transportation was used, and the Contractor had the written consent of the Contracting Officer for all non-U.S.-flag ocean transportation; or
- (4) Ocean transportation was used and some or all of the shipments were made on non-U.S.-flag vessels without the written consent of the Contracting Officer. The Contractor shall describe these shipments in the following format:

ITEM DESCRIPTION	CONTRACT LINE ITEMS	QUANTITY	TOTAL
(g) If the final invoice does not include the required representation, the Government will reject and return it to the Contractor as an improper invoice for the purposes of the Prompt Payment clause of this contract. In the event there has been unauthorized use of non-U.S.-flag vessels in the performance of this contract, the Contracting Officer is entitled to equitably adjust the contract, based on the unauthorized use.			

- (h) In the award of subcontracts for the types of supplies described in paragraph (b)(2) of this clause, the Contractor shall flow down the requirements of this clause as follows:
- (1) The Contractor shall insert the substance of this clause, including this paragraph (h) in all subcontracts that exceed the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.

- (2) The Contractor shall insert the substance of paragraphs (a) through (e) of this clause, and this paragraph (h), in subcontracts that are at or below the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.

[End of Clause]

I-74	252.248-7000	PREPARATION OF VALUE ENGINEERING CHANGE PROPOSALS	MAY/1994
Prepare Value Engineering Change Proposals, for submission pursuant to the VALUE ENGINEERING clause of this contract, in the format prescribed by the version of MIL-STD-973 in effect on the date of contract award.			

[End of Clause]

I-75	52.204-4009 (TACOM)	MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION	JUN/1999
------	------------------------	--	----------

- (a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)
- (b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.
- (c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).
- (d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.
- (e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-T013 MOD/AMD	Page 26 of 26
Name of Offeror or Contractor: MVP HYDRATECH INC		

I-76 52.247-4458 GUARANTEED SHIPPING CHARACTERISTICS--F.O.B. DESTINATION SEP/2000
(TACOM)

(a) The offeror is required to complete subparagraph (b)(1), (2), and (3), of this clause, for each part or component, including all of its packaging. This information will be used by the Government to perform logistics management functions such as providing item sustainment, planning (e.g. estimating storage costs), and redistribution. You are not liable if you give us wrong information, however since the DOD uses this data in-house in existing data bases and because this information may be used in contingency planning it, we request that the information provided be as accurate as possible.

(b) Definitions of terms commonly used in the packaging and distribution environments are defined in ASTM D996 and should be consulted if any term used herein is in question.

(1) Unit Package:

(i) Specify the type of UNIT PACKAGE for each single unit of issue: A container in direct contact with and enclosing the product along with any required protective materials(s)(e.g. item is wrapped in neutral paper, polyethylene foam cushion wrapped, sealed in a waterproof bag, and placed in a fiberboard box).

(ii) Unit Package Exterior Size/Weight of Unit Package with contents:

Length_____ x Width_____ x Depth _____(expressed in inches)/Weight expressed in _____ pounds

(2) Shipping Container:

(i) Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN:

Length, _____ x Width, _____ x Height,_____ (expressed in feet and inches)

(ii) Number of unit packages per shipping container _____ each

(iii) Gross weight of Shipping container and contents _____ Lbs.

(3) Unitized Loads:

(i) Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [] No []; describe: _____.

(ii) Number of Shipping containers per pallet/skid _____ each.

(iii) Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials _____ Lbs

(iv) Size of Unit Load(pallet/skid including shipping container(s)assembled for handling and transportation as a single entity:

Length, _____ x Width, _____ x Height,_____ (expressed in feet and inches)

(v) Gross Weight of Unit Load _____ Lbs;

[End of Clause]